CONTENTS

Queen Mary & Westfield College Meeting

Demonstrations

Voltammetric detection of quantal secretory events from isolated rat peritoneal mast cells
Michael R. Duchen 2

A moving sound source arrangement for spatial hearing studies in man
M.E. Rosenberg, C.W.A. Pelling and M.A. Mumford 3

A carbon fibre microelectrode factory
J. Millar, C.W.A. Pelling and S. Bartley 4

Measurement of the direction and magnitude of forces at the foot–pedal interface during submaximal and maximal isokinetic human exercise
A. Beelen and A.J. Sargeant 5

A passive marker optical tracking system for the assessment of bradykinesia in neurological conditions
T.G. Barnett, J.G. Logan and R.M.B. Wade 6

Estimation of three dimensional joint angles using Qualysis position sensors
T.G. Barnett, J.G. Logan and J.M. Paterson 7

Synchronized ventilation of the upper and lower airways of the anaesthetized rat using a phrenic-triggered respirator
James F.X. Jones, Simon B. Dando, Andrew G. Ramage and David Jordan 8

Quantification of the laminar distribution of the horizontal intracortical connections required for epileptiform spiking
O. Holmes and O.J. Holmes 9

An electronic tonometer to measure rate and depth of pitting in human oedematous tissue
D.O. Bates, J.R. Levick and P.S. Mortimer 10

Use of turbulent air to stabilize skin temperature during investigation of effects of postural change on thermoregulation in man
L.J. Whelan, M. Scarborough, G.C. Donaldson and W.C. Curry 11

A simple circuit for peristaltic pump control
T.G. Barnett and M.J. George 12

A piezoelectric array stimulator assembly and multi-way router for rat vibrissae stimulation
T.G. Barnett, M.J. George, C.W.A. Pelling and R. Shew 13

Communications

Recordings of activity from sympathetic fibres innervating blood vessels in the tail of the anaesthetized rat
C.D. Johnson and M.P. Gilbey 14

Dorsal root-evoked activity in sympathetic preganglionic neurones in the *in vitro* neonatal rat brainstem–spinal cord preparation
Susan A. Marks 15

Do caudal raphe neurones relay central respiratory-related inputs to sympathetic preganglionic neurones in the anaesthetized rat?
S.-Y. Zhou, H.A. Futuro-Neto and M.P. Gilbey 16

Does cortical activation of the human diaphragm act via brainstem respiratory centres?
Douglas R. Corfield, Kevin Murphy and Abraham Guz 17

Hindlimb contraction inhibits evoked activity in baroreceptor-sensitive neurones in the nucleus tractus solitarii (NTS) of the anaesthetized cat
Sarah E. McMahon, Peter N. McWilliam and Jean C. Kaye 18

The effects of stimulation of the parabrachial complex (PB) on the baroreflex in the anaesthetized rat
J.P. Lara, M.J. Parkes and K.M. Spyer 19

An *in vivo* characterization of rhythmically beating neurones in the nucleus tractus solitarii (NTS) of the anaesthetized rat
Julian F.R. Paton and James S. Schwaber 20

Evidence for NMDA receptor-mediated synaptic events in the rat nucleus tractus solitarii *in vitro*
P.A. Brooks and K.M. Spyer 21

Comparison of ventilatory chemoreflexes at rest with and without a period of prior exercise in man
I.D. Clement, J.J. Pandit, D.A. Bascom, K.L. Dorrington, D.F. O'Connor and P.A. Robbins 22

Increased ventilatory sensitivity to hypoxia with raised arterial potassium concentration at rest and during exercise in man
M.S. Qayyum, C.W. Barlow, D.F. O'Connor, D.J. Paterson and P.A. Robbins 23

Regulation of renal renin and angiotensinogen gene expression by the renal nerves in the anaesthetized rat
Akio Nakamura and Edward J. Johns 24

Procedures which acidify the cytoplasm stimulate adenosine release from isolated, perfused gracilis muscle in anaesthetized dogs
F.M. Mo and H.J. Ballard 25

Validity and reproducibility of breath-by-breath analysis of respiratory gas exchange in paediatric exercise testing
T. Reybrouck, F. Deroost, M. Gewillig and L. Van der Hauwaert 26

Hyperaemia following rhythmic and isometric exercise of the human forearm in the absence and presence of venous congestion
R. Batterham, R. Walsh and C.C. Michel 27

Maximum static respiratory pressures in healthy elderly human beings
A.J. Copestake and A.K. McConnell 28

Respiration-synchronous fluctuations in stroke volume, heart rate and arterial pressure in healthy humans, with and without cholinergic blockade by atropine
K. Toska and M. Eriksen 29

The effect of local warming on finger artery blood velocities in man under thermoneutral conditions
T.K. Bergersen, M. Eriksen and L. Walløe 30

Ionic dependency of bradykinin-stimulated L-arginine transport and nitric oxide production in cultured porcine aortic endothelial cells
R.G. Bogle, J.D. Pearson and G.E. Mann 31

A comparison between adult and neonatal neutrophil adhesion to cultured human umbilical vein endothelial cells
Anne Burke-Gaffney, T.J. Flood and A.K. Keenan 32

Modulation of platelet adhesion to human vascular endothelium by the constitutive and cytokine-inducible nitric oxide synthases
Marek W. Radomski, Patrick Vallance, Guy Whitely, Neale Foxwell and Salvador Moncada 33

Is activation of the constitutive L-arginine–nitric oxide pathway involved in the vasodilator action of bacterial lipopolysaccharide in the isolated Langendorff perfused rat heart?
A.R. Baydoun, R.D. Foale and G.E. Mann 34

Vasodilatation mediated by the sensory nerve fibres in the arterioles of skeletal muscle of the anaesthetized rat
G. Baptist and Janice M. Marshall 35

The effect of acute and chronic cooling on the cheek pouch microcirculation in anaesthetized hamsters
M.D. Brown, C.D. Geal and S. Egginton 36

Human nailfold capillary pressure is increased following local pin prick injury
M. Hahn and A.C. Shore 37

Capillary damage in the mouse caused by haemorrhagic protein from the venom of the Gaboon viper snake, *Bitis gabonica*
N.A. Marsh and E.A. Bennett 38

Transcellular openings through endothelium of frog mesenteric microvessels following perfusion with A23187 and exposure to high transmural pressures
C.R. Neal and C.C. Michel 39

Histamine both increases and decreases the permeability of cerebral venules of the anaesthetized rat
A.S. Easton and P.A. Fraser 40

Transarterial fibrinogen flux in the anaesthetized rabbit
P.J. Coleman, M.J. Lever and J.F. Martin 41

Interactions between catecholamines and methylxanthines in cardiac and skeletal muscle in anaesthetized rat
S.J. Heap and O. Hudlicka 42

The possible role in angiogenesis of pericytes from chronically stimulated rat skeletal muscles
S. Egginton, O. Hudlicka and M.D. Brown 43

Anti-inflammatory activity of neurotensin (NT) and NT analogues: possible sites of action in the anaesthetized rat
M.R. Dashwood, S. Prehar, J.R. Muddle, G.C. Gao and E.T. Wei 44

Responses of ATP-activated potassium channels of pulmonary arterial smooth muscle of the rat to potassium channel modulators
B.E. Robertson, P.R. Corry, R.Z. Kozlowski and P.C.G. Nye 45

Excitation of small isolated pulmonary blood vessels from the rat by 4-amino-pyridine and hypoxia
S. Albarwani, N. Xia and P.C.G. Nye 46

ADP-evoked Ca^{2+} entry is inhibited by the tyrosine kinase inhibitor methyl 2,5-dihydroxycinnamate in fura-2-loaded human platelets
Paul Sargeant and Stewart O. Sage 47

Electrochemical detection of nitric oxide using fast cyclic voltammetry
M.M. Iravani, Z.L. Kruk and J. Millar 48

Activation of gelatinase A and reactivation of the gelatinase A inhibitor complex by endothelial cell stimulating angiogenesis factor (ESAF)
J.B. Weiss and B. McLaughlin 49

Nerve-evoked nitric oxide and cyclic GMP formation in human corpus cavernosum
R.S. Pickard, P.H. Powell and M.A. Zar 50

Differential actions of noradrenaline and α_1-adrenoceptor agonists on the longitudinal and circular muscle of isolated human vas deferens
N.I.B. Amobi and I.C.H. Smith 51

Mineralocorticoid effects on G protein concentrations in rat vascular smooth muscle cells in culture
R.M. Haigh and C.T. Jones 52

Further experiments on the role of adenosine in the vasodilatation induced by systemic hypoxia in skeletal muscle of the anaesthetized rat
B.K. Elnazir and Janice M. Marshall 53

Chronic hypoxia results in depolarization of the resting membrane potential of isolated small pulmonary arteries of the rat
Tom P. Robertson, Rachel M. Priest, Richard M. Leach and Jeremy P.T. Ward 54

The effect of acute hypoxia on intracellular calcium and tension in isolated small pulmonary arteries of the rat
Tom P. Robertson and Jeremy P.T. Ward 55

Studies on magnesium mobilization and contractile force in the isolated rat heart
Frank C. Howarth, Jaipaul Singh and Jack J. Waring 56

The effects of extracellular pH (pH_o) upon protein loss during the calcium paradox in isolated Langendorff-perfused guinea-pig heart
K.R. Chatamra, M.S. Suleiman and R.A. Chapman 57

Propranolol inhibits cimetidine potentiation of digoxin effects in the isolated Langendorff perfused guinea-pig heart
M.A. Rosic, M.B. Segal, C.S. Collis, R. Egleton and I.Z. Andjelkovic 58

Use-dependent block of i_f in isolated rabbit sinoatrial node cells by zatebradine
Marnix Goethals, Adam Raes and Pierre-Paul van Bogaert 59

The effects of changes in luminal [Ca^{2+}] on the open probability of the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel are dependent on the mechanism of activation
R. Sitsapesan and A.J. Williams 60

Gastric emptying of glucose and protein solutions in man
G.E. Vist and R.J. Maughan 61

Peripheral fatigue in chronic hypobaric hypoxia in man: influence of exercising muscle volume
B. Kayser, T. Binzoni, M.V. Narici, B. Grassi and P. Cerretelli 62

Increase in femoral bone mineral density is associated with high impact exercise in pre-menopausal women
E.J. Bassey and S.J. Ramsdale 63

Effects of moderate exercise on renal function in man
B.D. Mohan, M.H. Sellens and A.J. McVicar 64

Changes in auditory threshold during exercise in man
J.K. France, D.W. Thomas and M.E. Rosenberg 65

Glycogen depletion and mechanical power output of human muscle at different shortening velocities: implications for mechanical efficiency
A. Beelen 66

Exercise on a self-powered treadmill compared with exercise on a cycle ergometer: a 'calibration' for use in cardiac rehabilitation
M. Sweeney, M. Calleja, M. Keegan, S. Ellis, M. Davies and I. Campbell 67

Femoral artery distensibility in human athletes and non-athletes: local arterial wavespeed determined by comb-excitation Fourier velocity-encoded magnetic resonance imaging (MRI)
C.G. Caro, G. Cybulski, R.D. Darrow, D.J. Doorly, C.L. Dumoulin and M. Tarnawski 68

Evidence for a drive to respiration during exercise from 'metabolic receptors' within skeletal muscle of man
Areeb H. Moosavi, Paresh Mistry, F.J. Imms and M.W.B. Bradbury 69

Prior activity does not increase the magnitude of the leucocytosis of exercise in untrained humans
M. Gleeson, J. Owen and R. Cave 70

The effects of light concentric work on exercise-damaged muscle in man
J.M. Saxton and A.E. Donnelly 71

Influence of carbohydrate ingestion on muscle glycogen utilization during prolonged running in man
O.K. Tsintzas, C. Williams and W. Wilson 72

Diet manipulation, citrate ingestion and the metabolic response to intense exercise in man
D. Ball and R.J. Maughan 73

The effect of oral creatine supplementation on running performance during maximal short term exercise in man
R.C. Harris, M. Viru, P.L. Greenhaff and E. Hultman 74

The influence of oral creatine supplementation on muscle phosphocreatine resynthesis following intense contraction in man
P.L. Greenhaff, K. Bodin, R.C. Harris, E. Hultman, D.A. Jones, D.B. McIntyre, K. Soderlund and D.L. Turner 75

Human muscle metabolism during intermittent maximal exercise of brief duration
G.C. Gaitanos, C. Williams, L. Boobis and S. Brooks 76

Human muscle metabolism during repeated maximal sprint cycling
G.C. Bogdanis, M.E. Nevill, H.K.A. Lakomy and L.H. Boobis 77

The thermic response to food during mild cooling in humans
H.E. Head-Rapson and I.A. Macdonald 78

Effects of posture on core temperature during cold stress in man
G.C. Donaldson, K.A. Mridha, L. Whelan and W.R. Keatinge 79

The effect of cold on angina pectoris in man
B. Marchant, K.A. Mridha and A.D. Timmis 80

Increased plasma fibrinogen in young and elderly human adults during brief exposure to cold
Denise Syndercombe-Court, W.R. Keatinge, G.C. Donaldson, Maria Caunce and Penelope J. Neild 81

C-type natriuretic peptide ($CNP_{(1-22)}$) poorly inhibits internalization of ^{125}I-α-ANP by the natriuretic peptide clearance receptor (ANPR-C) in isolated rat glomeruli
J. Brown and Z. Zuo 82

Low concentrations of C-type natriuretic peptide ($CNP_{(1-22)}$) inhibit cyclic 3'5' adenosine monophosphate levels in rat glomeruli
J. Brown and Z. Zuo 83

Thyrotropin releasing hormone (TRH)-induced release of calcium ions from intracellular stores and influx of calcium ions are mediated by separate G proteins in the rat pituitary-derived GH3 tumour cell line
I. Davison, C.K. Baueri, I. Kubasov, J.R. Schwarz and W.T. Mason 84

Rab3-peptide stimulates exocytosis from rat mast cells via a pertussis toxin-sensitive mechanism
G.J. Law, A.J. Northrop, M.L. Wu and W.T. Mason 85

Thymic corticotrophin-releasing factor synthesis and release from rat thymocytes *in vitro* in response to polyinosinic : polycytidylic acid stimulation
N.G.N. Milton, C.H. Self and E.W. Hillhouse 86

Endotoxin contamination of Protein-A purified antibodies: effects on the febrile responses of conscious rabbits
N.G.N. Milton, E.W. Hillhouse and A.S. Milton 87

The effect of different fatty acids on the M current of NG108-15 neuroblastoma x glioma hybrid cells
H. Schmitt and H. Meves 88

ATP-activated conductances in mouse Schwann cells in organotypic cultures
T. Amédée and S. Despeyroux 89

Synaptic responses in turtle cerebellar granule cells *in vitro*
Jens Midtgaard 90

Different roles for NMDA and non-NMDA receptors in fast and slow sensory transmission by rat SI barrel cortex neurones *in vivo*
Michael Armstrong-James and Egbert Welker 91

Synaptic plasticity induced by pairing vibrissal-evoked neuronal responses with iontophoretic glutamate in the primary somatosensory cortex of the anaesthetized rat
P.M.B. Cahusac 92

Changes in intracellular pH evoked by glutamate in isolated rat hippocampal slices
Alessandra Amato, Laura Ballerini and David Attwell 93

Rapid Hebbian plasticity of receptive fields of rat SI barrel cortex neurones following short-term sensory deprivation of whisker inputs *in vivo*
Michael Armstrong-James, Mathew Diamond and Ford Ebner 94

The effect of transcutaneous electrical nerve stimulation (TENS) upon conduction latencies in the human superficial radial nerve *in vivo*
Deirdre M. Walsh, G. David Baxter and Jim M. Allen 95

The long latency stretch reflex component (M2) in human hand muscles is not a transcortical, long loop response
O.C.J. Lippold and Maria Corden 96

The time cost of mental arithmetic and its relationship to conscious awareness
V.E. Amassian, R.Q. Cracco, P.J. Maccabee, J.B. Cracco, L. Eberle and A. Rudell 97

Effect of coil orientation on the latency of EMG responses produced by transcranial magnetic stimulation over the motor cortex in man
K.J. Werhahn, J.K.Y. Fong, B.-U. Meyer, J.C. Rothwell, B.L. Day and P.D. Thompson 98

Recruitment of motoneurones by transcranial magnetic stimulation in man
P. Bawa and R.N. Lemon 99

Effects of substance P (SP) on adrenal responses to acetylcholine (ACh) in conscious functionally hypophysectomized calves
C.T. Jones and A.V. Edwards 100

Afferents to nucleus raphe magnus demonstrated by iontophoretic application of unconjugated cholera toxin b in anaesthetized rats and guinea-pigs
P. Hinckel, D.M. Hermann, P.H. Luppi, H. Holzträger and M. Jouvet 101

The renal actions of neurohypophysial hormones in rats maintained on a low sodium diet
R.J. Windle, Jeanette M. Judah and Mary L. Forsling 102

The renal responsiveness to exogenous oxytocin throughout the oestrous cycle of the rat
S.A. Constable, R.J. Windle, Jeanette M. Judah and Mary L. Forsling 103

The regulation of chloride permeability by ATP in a cell line (NCL-SG3) established from the human sweat gland epithelium
M.L. Whiteford, D.L. Bovell, J.D. Pediani, G.L. Smith, H.Y. Elder, C.M. Lee and S.M. Wilson 104

Mechanism of action of magnesium on cholecystokinin-octapeptide-evoked secretory responses in the isolated exocrine rat pancreas
Denham M. Wisdom, Jaipaul Singh, Gines M. Salido and Pedro J. Camello 105

Evidence for a D-fructose transporter in the brush-border membrane of the human placenta
N.A. Reid and C.A.R. Boyd 106

The inhibition of glucose exits in human erythrocytes by 1,2-cyclohexanedione
G.F. Baker and W.F. Widdas 107

Cl^- channel block causes posterior cataract in organ-cultured bovine lenses
J.J. Zhang and T.J.C. Jacob 108

Effect of chronic hypoxia on work-induced human skeletal muscle hypertrophy
M.V. Narici, B. Kayser, L. Landoni and P. Cerretelli 109

Force–velocity (F–V) features of the human vastus lateralis muscle at different levels of neural activation
M.V. Narici and F. Saibene 110

Effect of transient neonatal paralysis on soleus motoneurone growth in the rat
B. Kerai, L. Greensmith, G. Vrbová and R. Navarrete 111

Fast-to-slow fibre type conversion does occur in continuously stimulated rat hindlimb muscle
J.C. Jarvis, T. Mokrusch, C.N. Mayne, M.M.N. Kwende, S. Gilroy, H. Sutherland and S. Salmons 112

Occurrence of short latency inhibition from triceps brachii to biceps brachii in human neonates
S.M. McDonough, J.A. Eyre, F. Ibrahim, S. Kelly, A.V. Metcalfe and S. Miller ... 113

Knee flexion at heel strike in man
D.R. Bacon, T.G. Barnett, J.G. Logan, C.W.A. Pelling and J.M. Paterson 114

Poster Communications

The relation between the serum cortisol concentration and the delayed leucocytosis of exercise in untrained humans
M. Gleeson, S. Brooks and R. Cave 115

Marathon performance by top athletes in relation to blood pH changes during a graded field test
J.A. Zoladz, A.J. Sargeant and J. Emmerich 116

Hypoxic challenge during hypocapnia in man: is there a chemosensitive drive to breathe at a low P_{CO_2}?
Douglas R. Corfield, Kevin Murphy, Sue De Cort and Abraham Guz 117

Hypoxia: a potential danger in synchronized swimming
B.N. Davies, N. Joels and F.I. Udoh 118

Fatigue and recovery of dynamic force in a multi-joint movement in humans
A.J. Sargeant, A. Beelen, C.J. de Ruiter and D.A. Jones 119

Effect of local anaesthesia on the bilateral masticatory-parotid salivary reflex in humans
M.P. Hector, D.J. Anderson and R.W.A. Linden 120

Leg extensor power improves in women with feasible exercise programmes
E.J. Bassey and S.J. Ramsdale 121

Inorganic phosphate decreases Ca^{2+}-induced Ca^{2+} release from the sarcoplasmic reticulum in saponin-skinned muscles isolated from rat ventricle
Jian-Zhong Xiang and Jonathan C. Kentish 122

Endogenous nitric oxide is present in the exhaled air of isolated pig lungs perfused with a haemoglobin-free solution
G. Cremona, T. Higenbottam, M. Takao, L.W. Hall and E.A. Bower 123

Effects of stimulation of the carotid body chemoreceptors on vascular resistance in muscle during simulated exercise in the anaesthetized cat
M. de Burgh Daly and M.N. Cook 124

Kinin formation in ischaemic heart and aorta of anaesthetized rats
A. Koide, I.J. Zeitlin and J.R. Parratt 125

Comparisons made in the estimation of breathlessness intensity and distress
Rachel C. Wilson, W. Slingerland and P.W. Jones 126

Polyamines are taken up by two distinct transporters in the human vascular endothelial cell line ECV304
D.M.L. Morgan, Odelia Rajanayagam and J.D. Pearson 127

Effects of indomethacin on endothelin-1 evoked vasoconstriction and release of eicosanoids from the isolated, perfused, canine spleen
Dora M. Grassi-Kassisse, E. Antunes, P.G. Withrington and G. de Nucci 128

Glycine transport into the anaesthetized developing rat brain and cerebrospinal fluid
J.E. Preston and M.B. Segal 129

Characterization of a model of chronic ischaemia in the anaesthetized rat hindlimb
J.R. Rochester, N.J. Brown and M.W.R. Reed 130

Regional and local variations in the composition of the glycocalyx of large blood vessels of the rabbit investigated *in vitro*
D.C. Chappell, J.A. Firth, K.A. Haldenby, K.I. Lau, K.H. Parker and C.P. Winlove 131

Investigation of the surface properties of isolated bovine and porcine endothelial cells using electrophoresis
P.M. Gribbon, D. O'Hare, K.H. Parker and C.P. Winlove 132

Endothelial regulation of smooth muscle cell proliferation and extracellular matrix formation in cultured human saphenous vein
K.E. Allen, K. Varty, L. Jones, R.D. Sayers, P.R.F. Bell and N.J.M. London 133

Results of the Allied Dunbar National Fitness Survey; main findings for muscle strength and power
J. Morris, P. Fentem, M. Collins, G. Hoinville, B. Tuxworth, C. Cooke, H. Rayson and U. Harries 134

Leeds Meeting

Demonstrations

A method for the measurement of both intracellular calcium and deformability in individual human erythrocytes and ghosts, loaded with a fluorescent dye in a flow channel
D. Hooker and D. Cotterrell 136

A simple computer program written in Spike 2 script language to analyse single action potentials
T. Yar, I.A. Ahmed and W. Winlow 137

Central and peripheral control of pneumostome movements in *Lymnaea*
J.-H. Park and W. Winlow 138

A sensor head for an ambulatory end-tidal P_{CO_2} monitor
J.S. Varley, P. Sherrington and D. Cotterrell 139

A system for assessing physiological cardiac reserve in man
J.K.A. Al-Timman, P. Marshall, D. Gray, L.B. Tan and R. Hainsworth 140

A device for combined passive upright tilting and lower body negative pressure in man
K.M. El-Bedawi and R. Hainsworth 141

An improved neck chamber for the study of carotid baroreceptors in humans
A.P. Kelly, K.M. El-Bedawi and R. Hainsworth 142

Development of an acute model using anaesthetized animals to mimic the haemodynamic situations seen under increased gravitational loads
D.A. Self, M.J. Drinkhill, J. Moore and R. Hainsworth 143

The spinal cord–hindlimb preparation: an *in vitro* approach to analysing somatosensory processing
A.E. King and J.A. Lopez-Garcia 144

Caress II: a general purpose tool for parallel deterministic systems, with applications to simulating cellular systems
J. Blom, A.V. Holden, M.J. Poole, J.V. Tucker and H. Zhang 145

Techniques used in the study of isolated segments of rabbit kidney tubules, isolated and perfused *in vitro*
S.N. Housden, J.S. Berry, K. Sewell and D.J. Potts 146

Analysis of lectin binding properties of cultured distal nephron cells with scanning laser confocal microscopy
T. Jackson, C. Lowing and S.J. White 146

Communications

Discharge pattern of specific chemo- and pressure-receptors in the duodenum of the anaesthetized cat
Klaus I. Baumann, K. Tadesse and M.S. Leung 147

Evidence for a chronotropic response to cardiac vagal motor C fibre stimulation in anaesthetized cats, rats and rabbits
James F.X. Jones and David Jordan 148

The characteristics of a cardiac rhythm connected with fluctuations in skin blood flow in humans
K. Lossius, M. Eriksen and L. Walløe 149

Muscarinic M3 receptors mediate stimulation of 5-hydroxytryptamine (5-HT) release from isolated segments of rabbit small intestine incubated *in vitro*
A. Reimann, Christa Bock and K. Racké 150

The effect of oesophageal distention on diaphragm and laryngeal EMG in the anaesthetized cat
James F.X. Jones, Donogh McKeogh, Philip Nolan and Ronan O'Regan 151

Modelling re-entry in a finite element model of the heart
A.V. Panfilov and J.P. Keener 152

The effects of anisotropy on re-entrant waves in a three-dimensional, coupled map lattice model of myocardial tissue
A. Clough, A.V. Holden and H. Zhang 153

L-Arginine transport in the isolated guinea-pig heart
M.A. Rosic, M.M. Kostic, M.B. Segal, S.A. Williams and J.E. Preston 154

The effects of mechanical loading and stretching on the time course of contraction in isolated guinea-pig ventricular myocytes
E. White and C.H. Orchard 155

A direct negative inotropic effect of acetylcholine on ventricular myocytes isolated from the rat
S.M. Harrison, S.O. McMorn, W.J. Zang, X.-J. Yu and M.R. Boyett 156

Reduced adrenergic activation of the isolated rat heart due to an increase in phosphodiesterase activities by eicosanoid pretreatment
E.G. Krause and Gudrun Borchert 157

The Na^+-dependence of single Na^+-activated K^+ channels ($I_{K(Na)}$) in excised and cell-attached patches from single guinea-pig ventricular myocytes
Glenn C. Rodrigo 158

The role of the hyperpolarization-activated current and the muscarinic K^+ current in the chronotropic effect of ACh on the sino-atrial node isolated from the rabbit
M.R. Boyett, I. Kodama, H. Honjo, A. Arai and R. Suzuki 159

Human erythrocyte ghost deformability following calcium loading, heat or diamide treatment
D. Hooker and D. Cotterrell 160

Postnatal maturation of the rat cardiac sarcoplasmic reticulum and expression of the calcium pump modulator phospholamban
R. Vetter, F. Kolár, R. Beckert and E.K. Seppet 161

Sodium–calcium exchange regulates cytoplasmic calcium concentration in isolated gastric smooth muscle from *Bufo marinus*
John G. McCarron, John V. Walsh Jr and Fredric S. Fay 162

Discrete cytosolic Ca^{2+} spikes in the secretory pole of isolated mouse pancreatic acinar cells evoked by physiological cholecystokinin concentrations
P. Thorn, A.M. Lawrie, P.M. Smith, D.V. Gallacher and O.H. Petersen 163

Renal vasodilator action of ligustrazine, active principle of a Chinese herbal remedy, on small rat renal arteries *in vitro*
G.Q. Teng and G.R. Barer 164

Photochemical release of nitric oxide from ruthenium nitrosyl trichloride: relaxation of rabbit isolated aortic rings mediated by photo-release of nitric oxide
Thomas D. Carter, Nadir Bettache, David Ogden and David R. Trentham 165

Photolytic release of nitric oxide from ruthenium nitrosyl chloride depresses an AP5-sensitive response but does not induce long-term potentiation in area CA1 of the rat hippocampus *in vitro*
J.H. Williams, N. Bettache, D.R. Trentham and T.V.P. Bliss 166

Modulation by cAMP of a cloned rat brain potassium channel expressed in oocytes
G.G. Wilson, C.A. O'Neill, A. Sivaprasadarao, J.B.C. Findlay and D. Wray 167

Calcium channel types at the motor nerve terminal of isolated mouse diaphragm: effects of metal ions
V. Porter and D. Wray 168

The effect of vanadate on intracellular calcium in neurones in isolated snail ganglia
Helen J. Kennedy and Roger C. Thomas 169

Modulation of Ca^{2+} channel currents in human neuroblastoma (SH-SY5Y) cells by phorbol esters
H.L. Reeve, P.F.T. Vaughan and C. Peers 170

On the block by morantel of nicotinic acetylcholine channels isolated from *Ascaris suum*: positive co-operativity between at least two blocking molecules
A.M. Evans and R.J. Martin 171

Outward currents limiting repetitive action potential generation in principal neurones of the rat MNTB *in vitro* are blocked by micromolar 4-aminopyridine (4-AP) concentrations
Ian D. Forsythe and Margaret Barnes-Davies 172

GABA-activated currents in outside-out patches from cultured rat cerebellar granule and Purkinje cells
D.J. Maconochie 173

Fly eclosion muscles die by active dismantling, a form of apoptosis
S.N. Chohan and J.A. Miyan 174

Effect of satiation on synaptic input to an identified interneurone in the isolated central nervous system of *Lymnaea stagnalis*
H.A. Whelan and C.R. McCrohan 175

Photoinactivation of the serotonergic cerebral giant cells in the isolated CNS of the snail, *Lymnaea stagnalis*
C.J.H. Elliott, M. Yeoman, G. Kemenes and P.R. Benjamin 176

Actions of serotonin and FMRFamide on identified cultured neurones from *Lymnaea stagnalis*
A. Walcourt-Ambakederemo and W. Winlow 177

Halothane enhances the responses of molluscan neurones to applied neuropeptides
G.E. Spencer and W. Winlow 178

Activation and desensitization of L-glutamate receptors of locust (*Schistocerca gregaria*) muscle
T.M. Norris, R.L. Ramsey and P.N.R. Usherwood 179

A 3-neurone model of the respiratory central pattern generator of a pulmonate mollusc
Julie Hyde 180

Nitric oxide induces transient synaptic depression in rat hippocampal slices
C.L. Boulton, A.J. Irving, G.L. Collingridge and J. Garthwaite 181

cGMP may mediate transient synaptic depression in rat hippocampal slices
A.J. Irving, C.L. Boulton, J. Garthwaite and G.L. Collingridge 182

The effects of medetomidine on sensory transmission in the urethane-anaesthetized rat
A. Angel and Catherine E. Hill 183

Effects of external pH (pH_o) on taurine efflux from rat cerebral cortical cells incubated in the presence and absence of bicarbonate ions
R.O. Law 184

Release of glutamate from the dorsal horn of the anaesthetized cat on sciatic nerve stimulation: an *in vivo* microdialysis study
R.E. Allchin, T.F.C. Batten, P.N. McWilliam and P.F.T. Vaughan 185

Uptake and hydrolysis of dipeptides by isolated rings of rat small intestine
A.P. Sykes 186

Stereospecificity of dipeptide transport in rat lung *in situ*
C.A.R. Boyd, J.R. Bronk and P.A. Helliwell 187

Peptide transport in type II pneumocytes freshly isolated from rat lung
D. Meredith and C.A.R. Boyd 188

Stereospecificity of dipeptide transport in rat small intestine, *in vitro*
J.R. Bronk, N. Lister and P.A. Helliwell 189

Age-related differences in the innervation and mast cell density of the rat exorbital lacrimal gland
Ruth Williams, Jaipaul Singh, Robert Lea and Keith Sharkey 190

Inhibition of pancreatic juice secretion by stimulation of visceral afferent fibres in the lumbar colonic nerves of anaesthetized cats
A.A. Harper, A.J.C. Hood, C.F. Wilson and the late J.R. Smy 191

The effect of histamine H_3-receptor ligands on the guinea-pig pancreas *in vivo*
L. Jennings, J. Singh, M.-J. Pozo, J.S. Davison and G.M. Salido 192

Effects of intragastric instillation of acid on gastrin cell function in the rat
R. Dimaline, A. Varro, E. Forster, D. Evans, A.K. Sandvik and G.J. Dockray 193

Transepithelial dipeptide transport across human intestinal epithelial Caco-2 cells
David T. Thwaites, Barry H. Hirst and Nicholas L. Simmons 194

Neural involvement in the intestinal secretory response to 5-HT *in vivo* in the rat
C.M. Franks, J. Hardcastle and P.T. Hardcastle 195

Contribution of vagal cholinergic mechanisms to gastric tone and motility in the anaesthetized ferret
D. Grundy, M.K. Gharib-Naseri and D. Hutson 196

Cutaneomuscular reflexes recorded from leg and trunk muscles in man
J. Gibbs, P. Shiers, A.K. Mallik, L.M. Harrison and J.A. Stephens 197

Indirect identification of intrafusal muscle fibres activated by static γ axons in Peroneus tertius spindles of anaesthetized cats
J. Celichowski, F. Emonet-Dénand, Y. Laporte and J. Petit 198

Changes in a spinal reflex and arterial blood pressure in the decerebrated rabbit after intrathecal RX821029, a selective ligand for imidazoline binding sites
R.W. Clarke, T.W. Ford and J. Harris 199

Spatio-temporal behaviour of a simple model of self-replicative systems
Zuzana Vespalcová 200

A theoretical framework for modelling the formation and maintenance of auditory space maps
A.V. Holden, S. Thornton and J.V. Tucker 201

Auditory spatial responses in the superior colliculus of the anaesthetized guinea-pig following four weeks of dark-rearing at 200 or 250 days old
D.J. Withington, K.E. Binns and M.J. Keating 202

Auditory localization ability of normal and dark-reared guinea-pigs
N.J. Ingham, E.D. Lobban, J.E. Wright and D.J. Withington 203

The effect of the CCK receptor antagonist MK-329 given intravenously on food intake in chickens
M. Covasa and J.M. Forbes 204

The effect of vagotomy on the satiety effects of CCK-8 and conditioned colour aversion in chickens
M. Covasa and J.M. Forbes 205

A new method for beat-to-beat determination of peripheral resistance and systemic arterial compliance under non-steady-state conditions during +Gz centrifugation
David A. Self, Daniel L. Ewert, Richard D. Swope, Ronald P. Crisman and Ricky D. Latham 206

Vasopressin enhances the reflex vasodilatation to stimulation of coronary mechanoreceptors in the anaesthetized dog
J. Moore, M.J. Drinkhill and R. Hainsworth 207

Spectral and cross-spectral analyses of systolic blood pressure and pulse interval variability during progressive orthostatic stress in humans
R. Grasso, K.M. El-Bedawi, A. Cevese and R. Hainsworth 208

Exercise genuinely attenuates the process underlying hypoxic ventilatory decline in man
J.J. Pandit and P.A. Robbins 209

The effects of electrically stimulated leg exercise on the acute ventilatory response to hypoxia in man
J.J. Pandit and P.A. Robbins 210

Force responses to controlled stretches of electrically stimulated muscle in man
C.S. Cook and M.J.N. McDonagh 211

Low dimensional chaotic behaviour in vibro-myograms recorded from human skeletal muscle *in vivo*
J.F. Prinz 212

A 20 s application of physiological levels of hydrostatic pressure can stimulate matrix synthesis in some regions of the bovine intervertebral disc *in vitro*
H. Ishihara, J.P.G. Urban and A.C. Hall 213

Effect of extracellular osmolality on porcine articular chondrocyte volume
C.M.P. Deshayes, A.C. Hall and J.P.G. Urban 214

The involvement of endogenous glucocorticoids and interleukin-6 in the febrile response to localized inflammation in the rat
A.V. Turnbull, S. Brouwer, S.J. Hopkins and N.J. Rothwell 215

IgG internalization by the high affinity human IgG receptor, in murine L-cell line FcγRI, is dependent on the size of the IgG aggregate
M. Socolovsky and G. Hale 216

Intraluminal oxygen and glucose and absorption in small bowel obstruction in the anaesthetized rat
T.W. Hennigan, P.C. Malone and I.A. Silver 217

Amiloride and Dids cause intracellular Cl^- concentration to fall in intralobular striated ducts isolated from rabbit mandibular salivary glands
K.R. Lau, R.L. Evans and R.M. Case 218

Alteration of Na^+–H^+ exchanger setpoint by furosemide (frusemide) in frog isolated early distal tubule (EDT)
G.J. Cooper and M. Hunter 219

Effect of glibenclamide on electrical properties of rabbit cortical collecting duct (CCD) isolated and perfused *in vitro*
J.S. Burry, S.J. White and D.J. Potts 220

Gadolinium inhibits a voltage-independent current in cells isolated from frog proximal tubule
L. Robson and M. Hunter 221

Induction of Fos-like immunoreactivity in the rat hypothalamus following systemic administration of growth hormone-releasing peptide (GHRP-6)
S.L. Dickson, G. Leng and I.C.A.F. Robinson 222

Poster Communications

Examination of 5-HT_3 receptor involvement in 5-HT-induced Cl^- secretion by rat intestine *in vitro*
J. Hardcastle, J.W.M. Carstairs and N.D.S. Bax 223

A computer-assisted learning (CAL) package to teach intestinal nutrient transport to undergraduate students: an evaluation
D. Dewhurst, P.T. Hardcastle, P. Kohn, E. Stuart and A.D. Williams 224

Electrogenic ion transport responses to nutritional deprivation in rat rectal mucosa *in vitro*
R.J. Levin, A.J. Parker and H.C. Nzegwu 225

Distribution of m_1 and m_3 mRNA in the crypts and villi of rat jejunum localized by *in situ* hybridization
S.A. Przyborski and R.J. Levin 226

Effect of ammonium chloride and chloroquine on the release of rat pancreatic proteins *in vitro*
O.A. Musa, L.J. Cook and R.M. Case 227

Vector-volume analysis of human anorectal junction. Comparison with conventional station pull-through manometry
H.C. McKirdy, R.H. Lowndes, P.J. Billings, J.J. Tjandra and H.L. Young 228

Exposure of isolated rat jejunal mucosa to glucose enhances rapidly Na^+-dependent glucose accumulation by brush-border membrane vesicles
E.S. Debnam and P.A. Sharp 229

Appearance of GLUT 2-like immunoreactivity in purified jejunal brush-border membrane prepared from streptozotocin diabetic rats
G. Chowrimootoo, P.A. Sharp, E.S. Debnam, S.K. Srai and S.A. Baldwin 230

An evaluation of liver function upon a new, simplified isolated rat liver perfusion system
B. Alexander, M. Aslam and I.S. Benjamin 231

Gastric distension reflexly decreases coronary blood flow in the anaesthetized pig
G. Vacca, D.A.S.G. Mary and P. Vono 232

The effects of isoprenaline and nifedipine upon the inward Ca^{2+} current and transient outward current, in isolated human atrial and ventricular myocytes
Glenn C. Rodrigo, E. Parry, S.S. Furniss and R.W.F. Campbell 233

The distribution of muscarinic receptors in the rat bladder and the effects of afferent postganglionic denervation on their density
K.T. Gunasena, A.J. Nimmo, J.F.B. Morrison and E.M. Whitaker 234

The unique enteric neural circuit induced by chronic undernutrition that prolongs the duration of intestinal electrogenic secretion in rat is activated by mucosal *E. coli* STa or serosal cyclic GMP but not by other secretagogues *in vitro*
Helen C. Nzegwu and R.J. Levin 235

Leicester Meeting

Demonstrations

Studying some of the mechanisms of skeletal muscle fatigue in man as a class experiment
J.J.A. Scott 238

BIDSlink: a computer program for translating references downloaded from the Bath-ISI Data Service
H.R. Matthews 239

An *in vitro* thin slice preparation of the rat brainstem for patch-clamp recordings of synaptic currents from auditory neurones
Margaret Barnes-Davies and Ian D. Forsythe 240

An improved method for repeated cerebrospinal fluid sampling in the rat
X. Liu and D.E. Ray 241

A sarcolemmal vesicle preparation from rat isolated skeletal muscle suitable for patch-clamp experiments
H.-C. McKillen 242

Computer model of pancreatic duct cells
Y. Sohma, B.E. Argent, M.A. Gray and Y. Imai 243

A versatile superfusion system suitable for whole-cell and excised patch clamp experiments
P.D. Langton 244

Acoustic monitoring of artificial heart valves
K.J. Reynolds, R.O. Stephen and A.G.H. Blakeley 245

The biomechanics of the apodeme complex of the metathoracic femoral chordotonal organ in the locust *Schistocerca gregaria*
M.E. Walker, P.M.J. Shelton and R.O. Stephen 246

Communications

Quantitative description of action potentials and membrane currents in human node of Ranvier
G. Reid, H. Bostock and J.R. Schwarz 247

Single channel currents operating at the resting membrane potential of rat hippocampal neurones maintained in culture
C.D. Richards and K.T. Wann 248

Inhibition of 'N'-type Ca^{2+} channels by internal Mg^{2+} in cultured rat cerebellar granule neurones
H.A. Pearson and A.C. Dolphin 249

Voltage-dependent phasic block of TTX-resistant sodium currents (TTX-r I_{Na}) by the neutral compound *n*-octyl-β-D-glucopyranoside in cells isolated from adult rat dorsal root ganglia
A.A. Elliott and J.R. Elliott 250

Two ion channels are directly gated by the neuropeptide Phe-Met-Arg-Phe-NH_2 (FMRFamide) in an identified *Helix* neurone
K.A. Green and G.A. Cottrell 251

A voltage-dependent chloride channel in NIE115 neuroblastoma cells is inactivated by protein kinase C and also by the pyrethroid deltamethrin
P.J. Forshaw and D.E. Ray 252

Evidence for an electrogenic lactate conductance in mouse β-cells and RINm5F insulinoma cells
L. Best, C. Ammala and P. Rorsman 253

On the block by morantel of nicotinic acetylcholine channels isolated from *Ascaris suum*: rate constants for multi-ion block estimated by maximum likelihood
A.M. Evans and R.J. Martin 254

Prospects for simultaneous fluorescence spectroscopy and patch clamp recording of ion channels
A.G. Macdonald and P.C. Wraight 255

Differential dose-dependent heparin block of cholecystokinin induced short Ca^{2+} spikes, and broad Ca^{2+} transients, in isolated mouse pancreatic acinar cells
P. Thorn and O.H. Petersen 256

Stimulation of calcium (manganese) influx in single, identified rat lactotrophs by thyrotropin-releasing hormone (TRH) and thapsigargin
M.A. Carew and W.T. Mason 257

The chemical phosphatase, 2,3-butanedione 2-monoxime (BDM), reduces the availability of single L-type Ca^{2+} channels in guinea-pig ventricular myocytes
T.J.A. Allen and R.A. Chapman 258

Sympathetic stimulation of calcium current by cytoplasmic cAMP and direct β-adrenergic signal-transducing stimulatory G protein pathways in isolated guinea-pig and frog ventricular cardiomyocytes
Ya. M. Shuba, S. Pelzer and D.J. Pelzer 259

Modulation of L-type calcium channels in isolated guinea-pig ventricular myocytes by isomers of fendiline
P. Meera, W. Schreibmayer and O. Tripathi 260

Effects of metabolic blockade on Ca^{2+}-dependent currents in cultured rat dorsal root ganglion neurones
S.R. Stapleton and R.H. Scott 261

The effect of pH on the block by L-*cis*-diltiazem of the cyclic GMP-activated conductance of rod photoreceptors isolated from the tiger salamander retina
L.M. McLatchie and H.R. Matthews 262

Effect of a proline residue in the S4 regions of a concatenated rat brain potassium channel expressed in *Xenopus* oocytes
R.S. Hurst, M.P. Kavanaugh, R.A. North and J.P. Adelman 263

Glutamate receptors mediate transmission at a giant synapse in the rat auditory brainstem *in vitro*
Ian D. Forsythe and Margaret Barnes-Davies 264

Block of ATP-sensitive K^+ channels in isolated mouse pancreatic β-cells by 2,3-butanedione monoxime
Paul A. Smith, Beatrice A. Williams and Frances M. Ashcroft 265

Inhibition of the ATP-sensitive K^+ channel in rat insulin-secreting (RINm5F) cells by SDZ PCO-400, an analogue of cromakalim
M.J. Dunne and A. Finch 266

The effect of intracellular pH on ATP-sensitive K^+ channels in isolated mouse pancreatic β-cells
Peter Proks, Makoto Takano and Frances M. Ashcroft 267

The effects of adenosine and guanine nucleotides on the ATP-activated K^+ channel in rat isolated hypothalamic neurones
I.C.M. Rowe and M.L.J. Ashford 268

Effect of anions on K_{ATP} channels recorded in membrane patches from rat isolated skeletal muscle fibres
H.-C. McKillen, N.W. Davies, P.S.L. Beirao, N.B. Standen and P.R. Stanfield 269

The potassium current activated by adenosine in isolated coronary arterial myocytes of the pig
C. Dart and N.B. Standen 270

Inhibition of Ca^{2+} channel currents in cultured rat cerebellar granule neurones by the Funnel Web spider toxin ω-Agatoxin IVA
K.G. Sutton, H. Pearson, R.H. Scott and A.C. Dolphin 271

NMDA receptor channels of developing granule cells in rat thin cerebellar slices
M. Farrant, D. Feldmeyer, S. Kobayashi, T. Takahashi and S.G. Cull-Candy 272

A calcium-permeable cation channel activated by membrane stretch and cell swelling in renal A6 and frog skin epithelia
V. Urbach, H. Andersen, J.A. Hall and B.J. Harvey 273

Stretch-activated charge movement in the basolateral membrane of isolated guinea-pig outer hair cells
J.E. Gale and J.F. Ashmore 274

The effects of pH on the activation of single Na^+-activated K^+ channels $IK_{(Na)}$ by Na^+ ions, in guinea-pig ventricular myocytes
Glenn C. Rodrigo 275

High selectivity of the i_f channel to Na^+ and K^+ in rabbit isolated SA node cells
Won-Kyung Ho, Hilary F. Brown and Denis Noble 276

K^+–H^+ exchange in isolated carotid body type-1 cells of the neonatal rat is caused by nigericin contamination
P. Richmond and R.D. Vaughan-Jones 277

Hydrogen ion buffering in rat CNS neurones maintained in culture
B.J. Amos, G. Pocock and C.D. Richards 278

The effect of ATP on the Donnan potential and protein fixed charge in bovine lens fibres
E.M. Bartels and G.F. Elliott 279

Hypoxia inhibits the effect on breathing of transient chemoreceptor stimulation in anaesthetized newborn rabbits
G.L. Ackland, P.J. Moore and M.A. Hanson 280

The effect of chronic hypoxia from birth upon the initial ventilatory responses to CO_2 and O_2 in conscious, newborn rats
B.K. Elnazir, D.R. Pepper and P. Kumar 281

The effect of hypocapnia on fetal behaviour in unanaesthetized normoxic fetal lambs
I.M. Kuipers, W.J. Maertzdorf, H. Keunen, D.S. de Jong, M.A. Hanson and C.E. Blanco 282

Development of the hypoxic ventilatory response in awake rabbit pups
Denise Bee, Caroline Wright and D.J. Pallot 283

Effect of rearing in warm or cold environments on the response to hypothyroidism during postnatal development in lambs
M.E. Symonds, C.J. Darby, L. Clarke, D.C. Andrews and M.A. Lomax 284

Maternal and fetal plasma lipid concentrations in chronically catheterized mares under different nutritional states
Julie P. Stammers, Marian Silver, Abigail L. Fowden and D. Hull 285

Effect of exogenous lipid on placental transfer in the anaesthetized rabbit
T.J. Stephenson, J.P. Stammers and D. Hull 286

Endocytotic uptake of small unilamellar liposomes of different surface charges by human cytotrophoblast cells in culture
R. Bajoria, S.R. Sooranna and S.F. Contractor 287

The effect of 8-bromo-adenosine on K^+ (^{86}Rb) transporters in a choriocarcinoma cell line (JAr)
L.H. Clarson, S.L. Greenwood and C.P. Sibley 288

Glucose metabolism in the pregnant ewe after fetal pancreatectomy
Abigail L. Fowden and Marian Silver 289

Human maternal iron stores and placental growth
D. Howe and T. Wheeler 290

Effect of maternal glucose infusion during late gestation on the catecholamine content and thermogenic activity of brown adipose tissue in the newborn lamb
L. Clarke, D.C. Andrews, L.A. Crompton, M.A. Lomax and M.E. Symonds 291

Low protein diet during gestation in rats: its relevance to human non-insulin-dependent diabetes
S. Dahri, A. Snoeck, B. Reusens-Billen, C. Remacle and J.J. Hoet 292

Uterine angiotensin II receptors in non-pregnant and pregnant women
C. Bing and F. Broughton Pipkin 293

Low Apgar scores at birth are associated with delayed development of circadian patterns of body temperature in babies
S.A. Petersen, M.P. Wailoo and S.R. Williams 294

Trophoblast function in human pregnancies with abnormal chromosomes
M.C.M. Macintosh, B. Brambati, J.G. Grudzinskas and T. Chard 295

Motor unit size in partially denervated adult rat fast-twitch muscles is not altered by temporary loss of muscle activity
C. White, A.L. Connold and G. Vrbová 296

The static sensitivity of Golgi tendon organs in the anaesthetized cat
J. Petit, P. Davies and J.J.A. Scott 297

Sine versus ramp stretches for characterizing fusimotor actions on muscle spindles in the anaesthetized cat
J.F. Rodgers, A.J. Fowle, R. Durbaba and A. Taylor 298

Inhibition of the long latency component of the reflex response to stretch in man by ipsilateral cortical magnetic stimulation
J.L. Taylor, W. Fogel, B.L. Day and J.C. Rothwell 299

Comparison of the correlation between the discharges of motor units recorded from different hand and foot muscles in man
J. Gibbs, L.M. Harrison and J.A. Stephens 300

Examination of the effect of forskolin against α_1- and α_2-adrenoceptor-mediated contractions of the porcine isolated palmar lateral vein
R. Harling and V.G. Wilson 301

The effects of UK 14,304 and guanabenz on [^{3}H]noradrenaline release in the rat anococcygeus muscle
R.D. Smith and A.H. Weston 302

Separate activity-related depression of the response of the mouse vas deferens to nerve stimulation
J.N. Singh and A.G.H. Blakeley 303

Changes in phosphoethanolamine and taurine with gestational state in rat uterine smooth muscle
Joanne Phoenix and Susan Wray 304

Serotonin has both inhibitory and excitatory effects on spontaneous contractility in isolated sheep mesenteric lymphatics
M.A. Hollywood and N.G. McHale 305

The effects of Ro 31-6930 on guinea-pig isolated papillary muscle; differential modification by glibenclamide and ciclazindol
R.D. Smith, I. MacKenzie and J.F. Waterfall 306

Structural and functional properties of isolated pressurized mesenteric resistance arteries from normotensive and L-NAME-treated Brattleboro rats
W.R. Dunn and V.G. Wilson 307

Whole-cell and single-channel recordings from nucleotide diphosphate-dependent K^+ channels in smooth muscle cells isolated from the rabbit portal vein
D.J. Beech, H. Zhang and T.B. Bolton 308

Ca^{2+} channel currents in isolated urinary tract smooth muscle cells: a simulation of non-inactivating currents incorporating a long open state
S. Nakayama, M. Bridgewater and A.F. Brading 309

Alteration of the transmembrane K^+ gradient during development of delayed rectifier potassium current in single rat pulmonary artery cells
S.V. Smirnov and P.I. Aaronson 310

An investigation of the inhibitory effects of levcromakalim on the delayed rectifier potassium current (I_{dr}) in rat portal vein cells
G. Edwards, T. Ibbotson and A.H. Weston 311

Evidence that nucleotide diphosphate-dependent K^+ channels are the site of action of levcromakalim in smooth muscle cells isolated from the rabbit portal vein
T.B. Bolton, H. Zhang and D.J. Beech 312

Changes in femoral bone mineral density associated with impact exercise in post-menopausal women
S.J. Ramsdale and E.J. Bassey 313

Multi-channel Doppler ultrasound study of the effect of Nicorette gum on arterial haemodynamics in healthy human subjects
D.C. Rees 314

The effect of the bradykinin antagonist HOE 140 upon skeletal muscle blood flow in anaesthetized cats
S.M. Poucher, S. Garcia and R. Brooks 315

Coronary arterial pressure-flow relation distal to a critical stenosis: influence of thrombosis in the anaesthetized dog
P.R. Belcher, I. Vergroesen and J.W. Hynd 316

The effect of vagal stimulation on cardiac function in an *in situ*, perfused heart preparation of the dogfish *Scyliorhinus stellaris*, following destruction of the CNS under general anaesthesia
E.W. Taylor, C. Agnisola and R. Acierno 317

Propagating waves of spreading depression demonstrated by magnetic resonance imaging in the anaesthetized rat
N. van Bruggen, A.R. Gardner-Medwin and R.G. Ahier 318

Spontaneous epileptiform activity in freely moving rats with epileptic foci induced by tetanus toxin
G.T. Finnerty and J.G.R. Jefferys 319

Development of the thalamic reticular and perireticular nuclei in rats and their relationship to growing corticofugal and corticopetal axons
J. Mitrofanis and G.E. Baker 320

Collateral sprouting of tooth-pulp nociceptive and cutaneous low-threshold mechanoreceptive fibres is blocked by nerve growth factor deprivation in the ferret
B. Doubleday and P.P. Robinson 321

Intra- and extracellular recording reveals evidence for collaterals from axons of paraventricular neurones in the anaesthetized rat
S.A. Way, S.M. Luckman and R.E.J. Dyball 322

Chronic changes in lithium clearance in anaesthetized rats following extensive renal ablation
R.M. Chamberlain and D.G. Shirley 323

Active epithelial solute transport in the *in vivo* lung of the anaesthetized adult rabbit causes an apparent negative interstitial pressure
N.G. Vejlstrup, C.A.R. Boyd and K.L. Dorrington 324

The influence of dietary lipid composition on rat jejunal structure and function *in vitro*
K.J. Lindley, D.P.R. Muller and P.J. Milla 325

Electrogenic secretion in rat ileum induced by *E. coli* STa and 8-bromo-cyclic GMP is potentiated *in vitro* by the NO donor sodium nitroprusside
Vivien Rolfe and R.J. Levin 326

Bicarbonate, chloride, proton and sodium coupling in membranes of isolated ox and rabbit corneal endothelium
Stuart Hodson, Darshan Kaila and Christopher Wigham 327

Effects of muscle length on diastolic $[Ca^{2+}]_i$ in isolated guinea-pig ventricular trabeculae
D.S. Steele and G.L. Smith 328

The influence of extracellular pH (pH_o) upon the intracellular activity of sodium (a^i_{Na}) in isolated guinea-pig papillary muscle perfused with a medium free of divalent cations
K.R. Chatamra, M.S. Suleiman and R.A. Chapman 329

The effect of neuropeptide Y on free calcium transients in contracting rat ventricular cardiac myocytes
S. Ribarič, R. Tregear and B. Somasundaram 330

Differences in twitch rest decay of isolated cells from epicardial and endocardial layers of rabbit ventricular muscle
S.C. O'Neill 331

Hypoxia inhibits acid extrusion from the guinea-pig isolated ventricular myocyte
Rosalba I. Fonteriz, R.D. Vaughan-Jones and D. Lagadic-Gossmann 332

Effects of lysophospholipids and ether lipids on mechanical properties of sarcolemmal vesicles from rabbit muscle
J.A. Nichol and O.F. Hutter 333

Cell shrinkage couples agonist-induced receptor stimulation to activation of the Na^+–K^+–$2Cl^-$ co-transport system in Ehrlich mouse ascites tumour cells
H. Harbak and L.O. Simonsen 334

Single channel memory: the open probability of a large-conductance cation channel in isolated bovine pigmented ciliary epithelial cells
C.H. Mitchell and T.J.C. Jacob 335

Na^+-dependent glucose transport in sheep tracheal epithelium *in vitro*
Jean-Pierre M. Charon, Anil Mehta and P.J. Kemp 336

Measurement of the fluid and electrolyte absorptive capacity of anaesthetized rat descending colon *in vivo*
Peter S. Zammit and Richard J. Naftalin 337

Weak bases can mobilize calcium from intracellular stores in isolated rat lacrimal acinar cells
S. Yodozawa and A.C. Elliott 338

Relative insensitivity of epithelial tight junction disassembly to apical Ca^{2+} chelation in isolated cultured cell lines
Carla B. Collares-Buzato, Gordon T.A. McEwan, Mark A. Jepson, Nicholas L. Simmons and Barry H. Hirst 339

Immunohistochemical evidence of reduced Na^+–K^+-ATPase expression in rabbit intestinal follicle-associated epithelia
Caroline M. Mason, Mark A. Jepson, Nicholas L. Simmons and Barry H. Hirst 340

Evidence for the regulatory role of cAMP in transepithelial liquid absorption in *in situ*, perfused postnatal lamb lungs
R.H. Stephens, A.R. Benjamin and D.V. Walters 341

Studies on the mechanism of inhibition of vasopressin-induced water flow across isolated toad urinary bladder by EHNA
D. Marples and A. Taylor 342

Differences in composition of n-6 essential fatty acids (EFA) containing eighteen carbon atoms between plasma and peripheral nerves are associated with slow nerve conduction velocity (NCV) in anaesthetized streptozotocin (STZ) diabetic rats
P.O.O. Julu, K. Jenkins and G.A. Jamal 343

Direct measurement of aminocephalosporin-induced H^+ transport in BCECF-loaded Caco-2 cells
David T. Thwaites 344

Inhibition of distinct pathways for cationic amino acid transport in human placental brush-border membrane vesicles by *N*-ethylmaleimide
N. Eleno, R. Devés and C.A.R. Boyd 345

Na^+–K^+-ATPase activity of CHAPS-solubilized pig kidney sodium pump
T.J.H. Walton and J.D. Cavieres 346

Co-localization of vasopressin V_{1a} receptors and sympatho-adrenal preganglionic neurones in the neonate rat spinal cord
E. Sermasi, J. Howl, M. Wheatley and J.H. Coote 347

The effect of a metabolite of melatonin on oxytocin release from the rat hypothalamus *in vitro*
M.L. Forsling, C.A. Street, W.L. Di and S.A. Yasin 348

Mechanisms of melatonin inhibition of vasopressin release from the rat hypothalamus *in vitro*
S.A. Yasin, R. Windle, A. Grossman and Mary L. Forsling 349

Fos-like immunoreactivity in γ-aminobutyric acid (GABA)-containing neurones in a forebrain region of the domestic chick
R. Ambalavanar, B.J. McCabe and G. Horn 350

Morphine actions on the induction of Fos-like immunoreactivity in the rat hypothalamus and brainstem following intravenous cholecystokinin injection
T. Onaka, S.M. Luckman, S. Dye and G. Leng 351

The functional morphology of stereociliary bundles on cochlear hair cells of the turtle
David N. Furness and Carole M. Hackney 352

Short-wavelength signal transmission to H1 horizontal cells in the isolated carp retina: involvement of APB receptor activated by light adaptation
M.B.A. Djamgoz, T. Furukawa, M. Yamada and S. Yasui 353

Role of Ca^{2+} in bleaching adaptation in cones isolated from the salamander retina
H.R. Matthews, G.L. Fain and M.C. Cornwall 354

BRL 38227 caused magnesium-dependent activation of ATP-sensitive potassium channels (K_{ATP}) in isolated single fibres from mouse skeletal muscle
Munir Hussain, Stewart I. Head and Anthony C. Wareham 355

Poster Communications

Membrane properties and discharge characteristics of rat intracardiac neurones *in vitro*: the effect of temperature
J. Cuevas, A.A. Harper and D.J. Adams 356

Alteration of L-type calcium current by chemical modification of sulphydryl groups in guinea-pig isolated cardiocytes
A. Lacampagne and J.A. Argibay 357

A sequential allosteric model for receptor-gated ion channels: modelling of single-channel properties
F.G. Ball, S.S. Davies and M.S.P. Sansom 358

The effect of barium on noradrenaline release from the human neuroblastoma SH-SY5Y
P.F.T. Vaughan, H.L. Reeve and C. Peers 359

Possible involvement of a dopaminergic receptor positively coupled to adenylate cyclase in isolated human cardiac cells
H. Ouadid, H. Jdaiaa, P. Guilbault and J. Nargeot 360

Morphological properties of electrophysiologically characterized neurones in the guinea-pig submucosal plexus *in vitro*
R.J. Evans, M.-M. Jiang and A. Surprenant 361

Temperature dependence of calcium current responses to β-adrenoreceptor agonists and adenylate cyclase stimulation in isolated guinea-pig ventricular cardiomyocytes
Ya. M. Shuba, S. Pelzer and D.J. Pelzer 362

Effects of rapid external solution switch on the action potential shape of guinea-pig ventricular myocytes
Jean-Yves Le Guennec and Denis Noble 363

Voltage-activated K^+ channels expressed in murine erythroleukaemia cells
N.W. Davies, I.A. Khan, P.A. Shelton and P.R. Stanfield 364

A novel class of polypeptide toxin modifies sodium current inactivation and activation in isolated frog skeletal muscle
D.A.M. Araújo, M.N. Cordeiro, M. Richardson, C.R. Diniz and P.S.L. Beirão 365

Interleukin-2 blocks voltage-activated potassium currents of isolated rat thymic epithelial (nurse) cells
J.E.G. Downing 366

Does reduced expression of mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase in preterm human infants explain lack of stimulation of ketogenesis following birth?
Patti A. Quant, Jenny N. Henson, Anthony F. Williams, Iona Jeffrey, Pamela Taylor and Nicholas D. Carter 367

Changes in unidirectional maternofetal ^{22}Na clearance (k_{mf}) and Na^+–K^+-ATPase α-subunit expression by the placenta of the anaesthetized rat during the last third of gestation
P. Brownbill, D.E. Atkinson, J.D. Glazier, C.P. Sibley and G. Warhurst 368

Faecal short chain fatty acids in breast-fed and formula-fed babies
C.A. Edwards, A. Parrett, S.E. Balmer and B.A. Wharton 369

Sodium uptake and transport (Na^+–K^+)ATPase changes following sodium depletion and low salinity acclimation in the mangrove crab *Ucides cordatus* (L)
R.R. Harris and M. Carmo F. Santos 370

Spatial resolution in benthic decapods, determined by electrophysiological measurement of acceptance angle
E. Gaten and P.M.J. Shelton 371

Caffeine-induced Ca^{2+} release from crustacean muscle stores is ryanodine sensitive
T.J. Lea and C.C. Ashley 372

Elasticity, hysteresis and noise for a two-state model of muscle cross-bridges
R.A. Thornhill and N. Thomas 373

Electrophysiology of the foregut of the locust, *Schistocerca gregaria*
S.J. Wood, S. Gomez and R.H. Osborne 374

Effects of dipyridamole and atenolol on myocardial reactive hyperaemia in pigs
F. Karim and B. Prendergast 375

Prejunctional modulation of transmitter release in the isolated mouse vas deferens
P. Davies, J.N. Singh and A.G.H. Blakeley 376

A method for measuring the voltage dependence of activation of whole-cell Ca^{2+} channel current in isolated myocytes of rat basilar artery
P.D. Langton 377

Assessment of intracellular interference in measurements of $[Cl^-]_i$ in rat arterial smooth muscle, *in vitro*
J.P.L. Davis, A.A. Harper and A.R. Chipperfield 378

Routes of divalent cation entry in cultured A7r5 vascular smooth muscle cells
A.D. Hughes and M. Schachter 379

Stimulation of glucocorticoid receptors induces apical Na^+ channels in surface cells of isolated rat distal colon
R.B. Lomax and G.I. Sandle 380

Evidence for G protein-dependent inhibition of basolateral K^+ channels by somatostatin in human colonocytes
G.I. Sandle, K.E. Fogg, C.M. McNicholas, N.B. Higgs and G. Warhurst 381

Intracellular pH of bovine articular chondrocytes is not regulated by a K^+–H^+ exchange mechanism
R.J. Wilkins and A.C. Hall 382

Kanagawa Haemolysin of *Vibrio parahaemolyticus* induces a nitrendipine-sensitive K^+ influx in human erythrocytes
J.S. Huntley and A.C. Hall 383

Clotrimazole, a potent Gardos channel inhibitor, protects sickle cells from K^+ loss and dehydration
J.C. Ellory, S.J. Culliford, P.C.W. Stone and J. Stuart 384

Regulation of the K^+–Cl^- co-transport system in LK sheep red cells
H.A. Horner and J.C. Ellory 385

Slowing of K^+ current rundown by ATP is independent of ATP hydrolysis in proximal tubule cells isolated from frog kidney
L. Robson and M. Hunter 386

Calcium facilitates rundown of ATP-sensitive potassium channels (K_{ATP}) in isolated mouse skeletal muscle
Munir Hussain and Anthony C. Wareham 387